

APPENDIX ITR (Interconnection Trunking Requirements)

TABLE OF CONTENTS

1. INTRODUCTION	3
2. DEFINITIONS	4
3. ONE-WAY AND TWO-WAY TRUNK GROUPS.....	4
4. TANDEM TRUNKING AND DIRECT END OFFICE TRUNKING	5
5. TRUNK GROUPS.....	7
6. FORECASTING RESPONSIBILITIES: <u>SBC-13STATE</u>	11
7. TRUNK DESIGN BLOCKING CRITERIA: <u>SBC-13STATE</u>	12
8. TRUNK SERVICING: <u>SBC-13STATE</u>	13
9. TRUNK DATA EXCHANGE: <u>SBC-13STATE</u>	15
10. NETWORK MANAGEMENT: <u>SBC-13STATE</u>	15
11. OUT OF EXCHANGE TRAFFIC.....	15
12. CIRCUIT SWITCHED TRAFFIC.....	16
13. INTENTIONALLY LEFT BLANK.....	17
14. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS.....	17

APPENDIX ITR (Interconnection Trunking Requirements)

1. INTRODUCTION

- 1.1 This Appendix sets forth terms and conditions for Interconnection provided by the applicable SBC Communications Inc. (SBC) owned Incumbent Local Exchange Carrier (ILEC) and CLEC.
- 1.2 This Appendix provides descriptions of the trunking requirements between CLEC and **SBC-13STATE**. All references to incoming and outgoing trunk groups are from the perspective of CLEC. The paragraphs below describe the required and optional trunk groups for local, IntraLATA toll, InterLATA “meet point”, mass calling, E911, Operator Services and Directory Assistance traffic.
- 1.3 Local trunk groups may only be used to transport traffic between the parties End Users.
- 1.4 **SBC Communications Inc. (SBC)** means the holding company which directly or indirectly owns the following ILECs: Illinois Bell Telephone Company d/b/a SBC Illinois, Indiana Bell Telephone Company Incorporated d/b/a SBC Indiana, Michigan Bell Telephone Company d/b/a SBC Michigan, Nevada Bell Telephone Company d/b/a SBC Nevada, The Ohio Bell Telephone Company d/b/a SBC Ohio, Pacific Bell Telephone Company d/b/a SBC California, The Southern New England Telephone Company, Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, SBC Kansas, SBC Missouri, SBC Oklahoma and/or SBC Texas and/or Wisconsin Bell, Inc. d/b/a SBC Wisconsin.
- 1.5 **SBC-2STATE** - As used herein, **SBC-2STATE** means **SBC CALIFORNIA** and **SBC NEVADA**, the applicable SBC-owned ILEC(s) doing business in California and Nevada.
- 1.6 **SBC-4STATE** - As used herein, **SBC-4STATE** means Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, SBC Kansas, SBC Missouri, and SBC Oklahoma the applicable SBC-owned ILEC(s) doing business in Arkansas, Kansas, Missouri and Oklahoma.
- 1.7 **SBC-7STATE** - As used herein, **SBC-7STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC CALIFORNIA** and **SBC NEVADA**, the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.8 **SBC-8STATE** - As used herein, **SBC-8STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC CALIFORNIA**, **SBC NEVADA**, and **SBC SNET** the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Connecticut, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.9 **SBC-10STATE** - As used herein, **SBC-10STATE** means **SBC SOUTHWEST REGION 5-STATE** and **SBC MIDWEST REGION 5-STATE** an the applicable SBC-owned ILEC(s) doing business in Arkansas, Illinois, Indiana, Kansas, Michigan, Missouri, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.10 **SBC-12STATE** - As used herein, **SBC-12STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC MIDWEST REGION 5-STATE** and **SBC-2STATE** the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.11 **SBC-13STATE** - As used herein, **SBC-13STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC MIDWEST REGION 5-STATE**, **SBC-2STATE** and **SBC SNET** the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.12 **SBC ARKANSAS** - As used herein, **SBC ARKANSAS** means Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, the applicable SBC-owned ILEC doing business in Arkansas.
- 1.13 **SBC CALIFORNIA** – As used herein, **SBC CALIFORNIA** means Pacific Bell Telephone Company d/b/a SBC California, the applicable SBC-owned ILEC doing business in California.

- 1.14 **SBC KANSAS** - As used herein, **SBC KANSAS** means Southwestern Bell Telephone, L.P. d/b/a SBC Kansas, the applicable SBC-owned ILEC doing business in Kansas.
- 1.15 **SBC ILLINOIS** - As used herein, **SBC ILLINOIS** means Illinois Bell Telephone Company d/b/a SBC Illinois, the applicable SBC-owned ILEC doing business in Illinois.
- 1.16 **SBC INDIANA** - As used herein, **SBC INDIANA** means Indiana Bell Telephone Company Incorporated d/b/a SBC Indiana, the applicable SBC-owned ILEC doing business in Indiana.
- 1.17 **SBC MICHIGAN** - As used herein, **SBC MICHIGAN** means Michigan Bell Telephone Company d/b/a SBC Michigan, the applicable SBC-owned doing business in Michigan.
- 1.18 **SBC MIDWEST REGION 5-STATE** - As used herein, **SBC MIDWEST REGION 5-STATE** means Illinois Bell Telephone Company d/b/a SBC Illinois, Indiana Bell Telephone Company Incorporated d/b/a SBC Indiana, Michigan Bell Telephone Company d/b/a SBC Michigan, The Ohio Bell Telephone Company d/b/a SBC Ohio, and/or Wisconsin Bell, Inc. d/b/a SBC Wisconsin, the applicable SBC-owned ILEC(s) doing business in Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- 1.19 **SBC MISSOURI** - As used herein, **SBC MISSOURI** means Southwestern Bell Telephone, L.P. d/b/a SBC Missouri, the applicable SBC-owned ILEC doing business in Missouri.
- 1.20 **SBC NEVADA** - As used herein, **SBC NEVADA** means Nevada Bell Telephone Company d/b/a SBC Nevada, the applicable SBC-owned ILEC doing business in Nevada.
- 1.21 **SBC OHIO** - As used herein, **SBC OHIO** means The Ohio Bell Telephone Company d/b/a SBC Ohio, the applicable SBC-owned ILEC doing business in Ohio.
- 1.22 **SBC OKLAHOMA** - As used herein, **SBC OKLAHOMA** means Southwestern Bell Telephone, L.P. d/b/a SBC Oklahoma, the applicable SBC-owned ILEC doing business in Oklahoma.
- 1.23 **SBC SNET** - As used herein, **SBC SNET** means The Southern New England Telephone Company, the applicable above listed ILEC doing business in Connecticut.
- 1.24 **SBC SOUTHWEST REGION 5-STATE** - As used herein, **SBC SOUTHWEST REGION 5-STATE** means Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, SBC Kansas, SBC Missouri, SBC Oklahoma and/or SBC Texas the applicable above listed ILEC(s) doing business in Arkansas, Kansas, Missouri, Oklahoma, and Texas.
- 1.25 **SBC TEXAS** – As used herein, **SBC TEXAS** means Southwestern Bell Telephone, L.P. d/b/a SBC Texas, the applicable SBC-owned ILEC doing business in Texas.
- 1.26 **SBC WISCONSIN** - As used herein, **SBC WISCONSIN** means Wisconsin Bell, Inc. d/b/a SBC Wisconsin, the applicable SBC-owned ILEC doing business in Wisconsin.

2. DEFINITION

- 2.1 “**Network Interconnection Methods**” (NIM) designates facilities established between the Parties Networks.

3. ONE-WAY AND TWO-WAY TRUNK GROUPS

- 3.1 CLEC shall issue Access Service Request (ASR) for two-way trunk groups. CLEC shall issue ASR's for one-way trunk groups, originating at the CLEC switch. **SBC-13STATE** shall issue ASR's for one-way trunk groups, originating at the **SBC-13STATE** switch. Exceptions to this are noted below:
 - 3.1.1 CLEC shall issue ASR's for two-way Meet Point Trunk Groups (MPTGs) in **SBC-13STATE**.
 - 3.1.2 CLEC shall issue ASR's for one-way Busy Line Verification/Emergency Interrupt trunk group.
 - 3.1.3 CLEC shall issue ASR's for one-way High Volume Call In trunk group as described in section 5.7.3.
 - 3.1.4 CLEC shall issue ASR's for one-way Connecticut Transit Traffic Service trunk group in **SBC SNET**.

- 3.2 One-way trunk groups for ancillary services (e.g. OS/DA, BLVI, mass calling, 911) and two-way meet point trunk groups can be established between a CLEC switch and an **SBC-13STATE** Tandem as further provided in this Appendix ITR. CLEC is financially responsible for the transport facility cost as described in Appendix NIM section 2.6. These trunk groups will utilize Signaling System 7 (SS7) or multi-frequency (MF) signaling protocol, with SS7 signaling preferred whenever possible.
- 3.3 Two-way trunk groups for local/ IntraLATA and InterLATA traffic can be established between a CLEC switch and an **SBC-13STATE** Tandem or End Office switch. These trunk groups will utilize Signaling System 7 (SS7) or multi-frequency (MF) signaling protocol, with SS7 signaling preferred whenever possible. For administrative consistency CLEC will have control for the purpose of issuing Access Service Requests (ASRs) on two-way groups. **SBC-13STATE** will use the Trunk Group Service Request (TGSR), as described in section 8.0 of this Appendix, to request changes in trunking. Both Parties reserve the right to issue ASRs, if so required, in the normal course of business.
- 3.4 The Parties agree that two-way trunking shall be established when possible and appropriate for a given trunk group. However, in **SBC MIDWEST REGION 5-STATE** and **SBC SNET**, certain technical and billing issues may necessitate the use of one-way trunking for an interim period. The Parties will negotiate the appropriate trunk configuration, whether one-way or two-way to accommodate the present billing and technical limitations.
- 3.5 The Parties agree to exchange traffic data on two-way trunks and to implement such an exchange within three (3) months of the date that two-way trunking is established and the trunk groups begin passing live traffic, or another date as agreed to by the Parties. Exchange of traffic data will permit each company to have knowledge of the offered and overflow load at each end of the two-way trunk group, and thereby enable accurate and independent determination of performance levels and trunk requirements. The Parties agree to the electronic exchange of data as described in section 9.
- 3.6 The Parties recognize that embedded one-way trunks may exist for Local/IntraLATA toll traffic via end-point meet Interconnection architecture. The Parties may agree to negotiate a transition plan to migrate the embedded one-way trunks to two-way trunks via any Interconnection method as described in Appendix NIM. The Parties will coordinate any such migration, trunk group prioritization, and implementation schedule. **SBC-13STATE** agrees to develop a cutover plan and project manage the cutovers with CLEC participation and agreement.

4. TANDEM TRUNKING AND DIRECT END OFFICE TRUNKING

- 4.1 **SBC-13STATE** deploys in its network Tandems that switch local only traffic (local Tandem **SBC SOUTHWEST REGION 5-STATE** only), Tandems that switch only local and IntraLATA traffic (local/IntraLATA Tandem **SBC SOUTHWEST REGION 5-STATE** only), Tandems that switch IntraLATA and InterLATA traffic (Access Tandem) and Tandems that switch both local and IntraLATA/InterLATA traffic (local/Access Tandem). In addition **SBC-13STATE** deploys Tandems that switch ancillary traffic such as 911 (911 Tandem), Operator Services/ Directory Assistance (OS/DA Tandem), and mass calling (choke Tandem). Traffic on Tandem trunks does not terminate at the Tandem but is switched to other trunks that terminate the traffic in End Offices and ultimately to End Users.
- 4.2 When Tandem trunks are deployed, CLEC shall connect to all tandems in the LATA in **SBC CONNECTICUT**, **SBC CALIFORNIA**, **SBC NEVADA** and **SBC MIDWEST REGION 5-STATE** and to all Tandems in the local exchange area in **SBC SOUTHWEST REGION 5-STATE**. CLEC shall route appropriate traffic (i.e. only traffic to End Offices that subtend that Tandem) to the respective **SBC-13STATE** Tandems on the trunk groups defined below. **SBC-13STATE** shall route appropriate traffic to CLEC switches on the trunk groups defined below.
- 4.3 Intentionally left blank
- 4.4 Direct End Office trunks terminate traffic from a CLEC switch to an **SBC-13STATE** End Office and are not switched at a Tandem location. The Parties shall establish a two-way Direct End Office trunk group when

actual or projected End Office traffic requires forty-eight (48) or more trunks as measured by time consistent average busy season busy hour, or when no local or local/Access Tandem is present in the local exchange area. Overflow from either end of the Direct End Office trunk group will be alternate routed to the appropriate Tandem. Local traffic will only be alternately routed if the local exchange area is served by a local or local/Access Tandem.

- 4.4.1 Direct End Office trunks terminate local and intralata toll traffic from a CLEC switch to an **SBC-13STATE** End Office. This traffic is not switched at a Tandem location. DEOT's terminate Local IntraLata traffic from CLEC Switch to **SBC 13-STATE** End Office's.
- 4.4.2 The Parties agree to jointly determine the proper number of trunks to avoid over or under trunking. The parties will utilize Telecordia document entitled Trunk Traffic Engineering Concepts and Applications SR TAP 000191 issued December 2, 1989 as a reference document..
- 4.5 All traffic received by **SBC-13STATE** on the direct End Office trunk group from CLEC must terminate in the End Office, i.e. no Tandem switching will be performed in the End Office. Where End Office functionality is provided in a remote End Office of a host/remote configuration, the Interconnection for that remote End Office is only available at the host switch. The number of digits to be received by the **SBC-13STATE** End Office shall be mutually agreed upon by the Parties. This trunk group shall be two-way.
- 4.6 Trunk Configuration
 - 4.6.1 Trunk Configuration – **SBC SOUTHWEST REGION T-STATE, SBC MIDWEST REGION 5-STATE** and **SBC SNET**
 - 4.6.1.1 Where available and upon the request of the other Party, each Party shall cooperate to ensure that its trunk groups are configured utilizing the Bipolar 8 Zero Substitution Extended Super Frame (B8ZS ESF) protocol for 64 kbps Clear Channel Capability (64CCC) transmission to allow for ISDN interoperability between the Parties' respective networks. Trunk groups configured for 64CCC and carrying Circuit Switched Data (CSD) ISDN calls shall carry the appropriate Trunk Type Modifier in the CLCI-Message code. Trunk groups configured for 64CCC and not used to carry CSD ISDN calls shall carry a different appropriate Trunk Type Modifier in the CLCI-Message code.
 - 4.6.1.2 The Lucent 1AESS switch is incapable of handling 64CCC traffic. Therefore, all trunk groups established to the 1AESS switches must use Alternate Mark Inversion (AMI).
 - 4.6.2 Trunk Configuration – **SBC CALIFORNIA** and **SBC NEVADA**
 - 4.6.2.1 When Interconnecting at **SBC CALIFORNIA/SBC NEVADA**'s digital End Offices, the Parties have a preference for use of Bipolar 8 Zero Substitution Extended Super Frame (B8ZS ESF) two-way trunks for all traffic between their networks. Where available, such trunk equipment will be used for Local Interconnection trunk groups. Where AMI trunks are used, either Party may request upgrade to B8ZS ESF when such equipment is available.
 - 4.6.2.2 When Interconnecting at **SBC CALIFORNIA**'s DMS Tandem(s), 64CCC data and voice traffic may be combined on the same B8ZF ESF facilities and 2-way trunk group. 64CCC data and voice traffic must be separate and not combined at **SBC CALIFORNIA**'s 4E Tandems. A CLEC establishing new trunk groups to carry combined voice and data traffic from **SBC CALIFORNIA**'s DMS Tandems may do so where facilities and equipment exist. Where separate voice and data Interconnection trunking already exists CLEC may transition to combined voice and data trunking as a major project, subject to rules, timelines and guidelines set forth in the CLEC handbook, which is not incorporated herein refer to the appropriate ILEC's website. In all cases, CLEC will be required to disconnect existing voice-only trunk groups as existing 64CCC trunk groups are augmented to carry both voice and data traffic. For both the combined and the segregated voice and data trunk groups,

where additional equipment is required, such equipment will be obtained, engineered, and installed on the same basis and with the same intervals as any similar growth job which **SBC CALIFORNIA** does for IXC's, CLEC's, or itself for 64CCC trunks.

5. TRUNK GROUPS

- 5.1 The following trunk groups shall be used to exchange various types of traffic between CLEC and **SBC-13STATE**.
- 5.2 Local & IntraLATA Interconnection Trunk Group(s) in Each Local Exchange Area: **SBC SOUTHWEST REGION 5-STATE**.
 - 5.2.1 A two-way local trunk group shall be established between CLEC switch and each **SBC SOUTHWEST REGION 5-STATE** local Tandem in the local exchange area. Inter-Tandem switching is not provided.
 - 5.2.2 A two-way local/IntraLATA trunk group shall be established between CLEC switch and each **SBC SOUTHWEST REGION 5-STATE** local/IntraLATA Tandem in the local exchange area. Inter-Tandem switching is not provided.
 - 5.2.3 **SBC SOUTHWEST REGION 5-STATE** reserves the right to initiate a one-way IntraLATA trunk group to CLEC in order to provide Tandem relief when a community of interest is outside the local exchange area in which the CLEC is Interconnected.
 - 5.2.4 Where traffic from CLEC switch to **SBC SOUTHWEST REGION 5-STATE** End Office is sufficient, 24 or more trunks, a local or local/IntraLATA trunk group shall also be established to the **SBC SOUTHWEST REGION 5-STATE** End Office as described in Sections 4.4 and 4.5.
 - 5.2.5 A local or local/IntraLATA trunk group shall be established from CLEC switch to each **SBC SOUTHWEST REGION 5-STATE** End Office in a local exchange area that has no local Tandem.
 - 5.2.6 Each Party shall deliver to the other Party over the Local Trunk Group(s) only such traffic that originates and terminates in the local exchange area.
 - 5.2.7 When **SBC SOUTHWEST REGION 5-STATE** has a separate local Tandem and Access Tandem in the local exchange area, a two-way IntraLATA toll trunk group shall be established to the **SBC SOUTHWEST REGION 5-STATE** Access Tandem, in addition a two-way local trunk group shall be established from the CLEC switch to the **SBC SOUTHWEST REGION 5-STATE** local Tandem(s).
 - 5.2.8 When **SBC SOUTHWEST REGION 5-STATE** has a combined local/Access Tandem in a local exchange area, local and IntraLATA toll traffic shall be combined on a two-way local/IntraLATA trunk group.
 - 5.2.9 When **SBC SOUTHWEST REGION 5-STATE** has more than one combined local/Access Tandem in a local exchange area, local and IntraLATA toll traffic shall be combined on a two-way local/IntraLATA trunk group to each **SBC SOUTHWEST REGION 5-STATE** Tandem.
- 5.3 Local and IntraLATA Interconnection Trunk Group(s) in Each LATA: **SBC MIDWEST REGION 5-STATE**, **SBC SNET**, **SBC CALIFORNIA** and **SBC NEVADA**.
 - 5.3.1 Tandem Trunking - Single Tandem LATAs
 - 5.3.1.1 Where **SBC CALIFORNIA**, **SBC NEVADA** or **SBC MIDWEST REGION 5-STATE** has a single Access Tandem in a LATA, IntraLATA Toll and Local traffic shall be combined on a single Local Interconnection Trunk group for calls destined to or from all End Offices that subtend the Tandem. This trunk group shall be two-way and will utilize Signaling System 7 (SS7) signaling.
 - 5.3.2 Tandem Trunking – Multiple Tandem LATAs
 - 5.3.2.1 Where **SBC CALIFORNIA**, **SBC NEVADA**, **SBC SNET** or **SBC MIDWEST REGION 5-STATE** has more than one Access Tandem and/or local/IntraLATA Tandem in a LATA, IntraLATA Toll and Local traffic shall be combined on a single Local Interconnection Trunk

Group at every **SBC CALIFORNIA**, **SBC NEVADA**, **SBC SNET** or **SBC MIDWEST REGION 5-STATE** Tandem for calls destined to or from all End Offices that subtend each Tandem. These trunk groups shall be two-way and will utilize Signaling System 7 (SS7) signaling.

5.3.3 Direct End Office Trunking

5.3.3.1 The Parties shall establish direct End Office primary high usage Local Interconnection trunk groups for the exchange of IntraLATA Toll and Local traffic where actual or projected traffic demand is or will be forty eight (48) or more trunks, as described in Sections 4.4 and 4.5.

5.4 Meet Point Trunk Group: **SBC-13STATE**

5.4.1 IXC traffic shall be transported between CLEC switch and the **SBC-13STATE** Access or combined local/Access Tandem over a Meet Point Trunk Group separate from local and IntraLATA toll traffic. The Meet Point Trunk Group will be established for the transmission and routing of exchange access traffic between CLEC's End Users and inter exchange carriers via a **SBC-13STATE** Access Tandem.

5.4.2 Meet Point Trunk Groups shall be set up as two-way and will utilize SS7 signaling, except multifrequency ("MF") signaling will be used on a separate Meet Point Trunk Group to complete originating calls to switched access customers that use MF FGD signaling protocol. CLEC is financially responsible for the transport facility cost as described in Appendix NIM section 2.6.

5.4.3 When **SBC-13STATE** has more than one Access Tandem in a local exchange area or LATA, CLEC shall establish a Meet Point Trunk Group to each **SBC-13STATE** Access Tandem where the CLEC has homed its NXX code(s). If the Access Tandems are in two different states, CLEC shall establish a Meet Point Trunk Group with one Access Tandem in each state.

5.4.4 In **SBC-13STATE** where there is more than one Access Tandem in a LATA, and the CLEC had previously established a Meet Point Trunk Group to a **SBC-13STATE** Access Tandem, or a constrained Access Tandem condition exist, the Parties agree to develop a mutually acceptable plan to establish a Meet Point Trunk Group to each **SBC-13STATE** Access Tandem where the CLEC has homed its NXX code(s).

5.4.5 FOR **SBC CALIFORNIA** ONLY: CLEC will home new codes serving a particular community on the Tandem serving that community, as defined in SCHEDULE CAL.P.U.C. NO. 175—T, Section 6.7.3, Tandem Access Sectorization (TAS). CLEC is not required, however, to home codes by the sector designations. CLEC also agrees to locate at least one Local Routing Number (LRN) per home Tandem if CLEC ports any telephone numbers to its network from a community currently homing on that Tandem.

5.4.6 **SBC-13STATE**: For each NXX code used by either Party, the Party that owns the NXX must maintain network facilities (whether owned or leased) used to actively provide, in part, local Telecommunications Service in the geographic area assigned to such NXX code. If either Party uses its NXX Code to provide foreign exchange service to its customers outside of the geographic area assigned to such code, that Party shall be solely responsible to transport traffic between its foreign exchange service customer and such code's geographic area.

5.4.7 **SBC-13STATE** will not block switched access customer traffic delivered to any **SBC-13STATE** Tandem for completion on CLEC's network. The Parties understand and agree that Meet Point trunking arrangements are available and functional only to/from switched access customers who directly connect with any SBC-13STATE Access Tandem that CLEC switch subtends in each LATA. In no event will SBC-13STATE be required to route such traffic through more than one Tandem for connection to/from switched access customers. SBC-13STATE shall have no responsibility to ensure that any switched access customer will accept traffic that CLEC directs to the switched access customer.

5.4.8 CLEC shall provide all SS7 signaling information including, without limitation, charge number and originating line information ("OLI"). For terminating FGD, **SBC-13STATE** will pass all SS7 signaling information including, without limitation, CPN if it receives CPN from FGD carriers. All privacy indicators will be honored. Where available, network signaling information such as transit network selection ("TNS") parameter, carrier identification codes ("CIC") (CCS platform) and CIC/OZZ information (non-SS7 environment) will be provided by CLEC wherever such information is needed for call routing or billing. The Parties will follow all OBF adopted standards pertaining to TNS and CIC/OZZ codes.

5.5 800/(8YY) Traffic: **SBC-13STATE**

5.5.1 If CLEC chooses **SBC-13STATE** to handle 800/(8YY) database queries from its switches, all CLEC originating 800/(8YY) traffic will be routed over the InterLATA meet point trunk group. This traffic will include a combination of both Interexchange Carrier (IXC), 800/(8YY) service and CLEC 800/(8YY) service that will be identified and segregated by carrier through the database query handled through the **SBC-13STATE** Tandem switch.

5.5.2 All originating Toll Free Service (800/8YY) calls for which CLEC requests that **SBC-13STATE** perform the Service Switching Point ("SSP") function (e.g., perform the database query) shall be delivered using GR-394 format over the Meet Point Trunk Group. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.

5.5.3 CLEC may handle its own 800/8YY database queries from its switch. If so, CLEC will determine the nature (local/intraLATA/interLATA) of the 800/8YY call based on the response from the database. If the query determines that the call is a local or IntraLATA 800/8YY number, CLEC will route the post-query local or IntraLATA converted ten-digit local number to **SBC-13STATE** over the local or intra-LATA trunk group. In such case, the CLEC is to provide an 800/8YY billing record when appropriate. If the query reveals the call is an InterLATA 800/8YY number, CLEC will route the post-query inter-LATA call (800/8YY number) directly from its switch for carriers Interconnected with its network or over the meet point group to carriers not directly connected to its network but are connected to **SBC-13STATE**'s Access Tandem. Calls will be routed to **SBC-13STATE** over the local/IntraLATA and inter-LATA trunk groups within the LATA in which the calls originate.

5.5.4 All post-query Toll Free Service (800/8YY) calls for which CLEC performs the SSP function, if delivered to **SBC-13STATE**, shall be delivered using GR-394 format over the Meet Point Trunk Group for calls destined to IXCs, or shall be delivered by CLEC using GR-317 format over the Local Interconnection trunk group for calls destined to End Offices that directly subtend the Tandem.

5.6 E911 Trunk Group

5.6.1 A dedicated trunk group for each NPA shall be established to each appropriate E911 switch within the local exchange area or LATA in which the CLEC offers exchange service. The CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group. This trunk group shall be set up as a one-way outgoing only and will utilize MF CAMA signaling or, where available, SS7 signaling. Where the parties utilize SS7 signaling and the E911 network has the technology available, only one E911 trunk group shall be established to handle multiple NPAs within the local exchange area or LATA. If the E911 network does not have the appropriate technology available, a SS7 trunk group shall be established for each NPA in the local exchange area or LATA. CLEC shall provide a minimum of two (2) one-way outgoing channels on E911 trunks dedicated for originating E911 emergency service calls from the Point of Interconnection (POI) to the **SBC-13STATE** E911 switch.

5.6.2 In **SBC SNET** only, CLEC will comply with the CT DPUC directives regarding the E911 trunk groups. The current directive requires CLEC to establish three dedicated separate trunk groups for each Connecticut NPA, from its switch to each of the Connecticut E911 tandems. For each NPA, one trunk group using SS7 signaling will go to the Primary E911 tandem. A second trunk group using

SS7 will go to the Secondary E911 tandem. The third trunk group will have MF CAMA signaling and will go to the Primary E911 tandem and serve as a backup. These trunk groups shall be set up as a one-way outgoing only by CLEC. CLEC will have administrative control for the purpose of issuing ASRs.

- 5.6.3 CLEC will cooperate with **SBC-13STATE** to promptly test all 9-1-1 trunks and facilities between CLEC network and the **SBC-13STATE** 9-1-1 Tandem to assure proper functioning of 9-1-1 service. CLEC will not turn-up live traffic until successful testing is completed by both Parties.

5.7 High Volume Call In (HVCI) / Mass Calling (Choke) Trunk Group: **SBC-12STATE**

- 5.7.1 A dedicated trunk group shall be required to the designated Public Response HVCI/Mass Calling Network Access Tandem in each serving area. This trunk group shall be one-way outgoing only and shall utilize MF signaling. As the HVCI/Mass Calling trunk group is designed to block all excessive attempts toward HVCI/Mass Calling NXXs, it is necessarily exempt from the one percent blocking standard described elsewhere for other final Local Interconnection trunk groups. CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group. The Parties will not exchange live traffic until successful testing is completed by both Parties.

- 5.7.2 This group shall be sized as follows:

<i>Number of Access Lines Served</i>	<i>Number of Mass Calling Trunks</i>
<i>0 – 10,000</i>	<i>2</i>
<i>10,001 – 20,000</i>	<i>3</i>
<i>20,001 – 30,000</i>	<i>4</i>
<i>30,001 – 40,000</i>	<i>5</i>
<i>40,001 – 50,000</i>	<i>6</i>
<i>50,001 – 60,000</i>	<i>7</i>
<i>60,001 – 75,000</i>	<i>8</i>
<i>75,000 +</i>	<i>9 maximum</i>

- 5.7.3 If CLEC should acquire a HVCI/Mass Calling customer, i.e. a radio station, CLEC shall notify **SBC-12STATE** at least 60 days in advance of the need to establish a one-way outgoing SS7 or MF trunk group from the **SBC-12STATE** HVCI/Mass Calling Serving Office to the CLEC customer's serving office. CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group.
- 5.7.4 If CLEC finds it necessary to issue a new choke telephone number to a new or existing HVCI/Mass Calling customer, the CLEC may request a meeting to coordinate with **SBC-12STATE** the assignment of HVCI/Mass Calling telephone number from the existing choke NXX. In the event that the CLEC establishes a new choke NXX, CLEC must notify **SBC-12STATE** a minimum of ninety (90) days prior to deployment of the new HVCI/Mass Calling NXX. **SBC-12STATE** will perform the necessary translations in its End Offices and Tandem(s) and issue ASR's to establish a one-way outgoing SS7 or MF trunk group from the **SBC-12STATE** Public Response HVCI/Mass Calling Network Access Tandem to the CLEC's choke serving office.
- 5.7.5 In **SBC SNET**, where HVCI/Mass Calling NXXs have not been established, the Parties agree to utilize "call gapping" as the method to control high volumes of calls, where technically feasible in the originating switch, to specific high volume customers or in situations such as those described in Section 36 Network Maintenance and Management of the General Terms and Conditions.

5.8 Operator Services/Directory Assistance Trunk Group(s)

- 5.8.1 If **SBC-13STATE** agrees to provide Inward Assistance Operator Services for the CLEC, please see section 4.1 of Appendix INW for the trunking requirements to provide this service.
- 5.8.2 If **SBC-13STATE** agrees through a separate appendix or contract to provide Directory Assistance and/or Operator Services for CLEC the following trunk groups are required:

5.8.2.1 Directory Assistance (DA):

5.8.2.1.1 CLEC may contract for DA services only. A segregated trunk group for these services will be required to the appropriate **SBC-13STATE** OPERATOR SERVICES Tandem in the LATA for the NPA the CLEC wishes to serve. This trunk group is set up as one-way outgoing only and utilizes Modified Operator Services Signaling (2 Digit Automatic Number Identification (ANI)). CLEC will have administrative control for the purpose of issuing ASR's on this one-way trunk group.

5.8.2.2 Directory Assistance Call Completion (DACC):

5.8.2.2.1 CLEC contracting for DA services may also contract for DACC. This requires a segregated one-way trunk group to each **SBC-13STATE** OPERATOR SERVICES Tandem within the LATA for the combined DA and DACC traffic. This trunk group is set up as one-way outgoing only and utilizes Modified Operator Services Signaling (2 Digit ANI). The CLEC will have administrative control for the purpose of issuing ASR's on this one-way trunk group.

5.8.2.3 Busy Line Verification/Emergency Interrupt (BLV/EI):

5.8.2.3.1 When **SBC-13STATE**'s operator is under contract to verify the busy status of the CLEC End Users, **SBC-13STATE** will utilize a segregated one-way with MF signaling trunk group from **SBC-13STATE**'s Operator Services Tandem to CLEC switch. CLEC will have administrative control for the purpose of issuing ASR's on this one-way trunk group.

5.8.2.4 Operator Assistance (0+, 0-):

5.8.2.4.1 This service requires a one-way trunk group from CLEC switch to **SBC-13STATE**'s OPERATOR SERVICES Tandem. Two types of trunk groups may be utilized. If the trunk group transports DA/DACC, the trunk group will be designated with the appropriate traffic use code and modifier. If DA is not required or is transported on a segregated trunk group, then the group will be designated with a different appropriate traffic use code and modifier. Modified Operator Services Signaling (2 Digit ANI) will be required on the trunk group. CLEC will have administrative control for the purpose of issuing ASR's on this one-way trunk group.

5.8.2.5 Digit-Exchange Access Operator Services Signaling:

5.8.2.5.1 CLEC will employ Exchange Access Operator Services Signaling (EAOSS) from the equal access End Offices (EAEO) to the OPERATOR SERVICES switch that are equipped to accept 10 Digit Signaling for Automatic Number Identification (ANI).

5.8.2.6 OS QUESTIONNAIRE

5.8.2.6.1 If CLEC chooses **SBC-13STATE** to provide either OS and/or DA, then CLEC agrees to accurately complete the OS Questionnaire prior to submitting ASRs for OS and DA trunks.

6. **FORECASTING RESPONSIBILITIES: SBC-13STATE**

6.1 CLEC agrees to provide an initial forecast for establishing the initial Interconnection facilities. **SBC-13STATE** shall review this forecast and if it has any additional information that will change the forecast shall provide this information to CLEC. Subsequent forecasts shall be provided on a semi-annual basis, not later than January 1 and July 1 in order to be considered in the semi-annual publication of the **SBC-13STATE** General Trunk Forecast. This forecast should include yearly forecasted trunk quantities for all appropriate trunk groups described in this Appendix for a minimum of three years. Parties agree to the use of Common

Language Location Identification (CLLI) coding and Common Language Circuit Identification for Message Trunk coding (CLCI-MSG) which is described in TELCORDIA TECHNOLOGIES documents BR795-100-100 and BR795-400-100 respectively. Inquiries pertaining to use of TELCORDIA TECHNOLOGIES Common Language Standards and document availability should be directed to TELCORDIA TECHNOLOGIES at 1-800-521-2673. Analysis of trunk group performance, and ordering of relief if required, will be performed on a monthly basis at a minimum.

6.2 The semi-annual forecasts shall include:

6.2.1 Yearly forecasted trunk quantities (which include measurements that reflect actual Tandem Local Interconnection and InterLATA trunks, End Office Local Interconnection trunks, and Tandem subtending Local Interconnection End Office equivalent trunk requirements) for a minimum of three (current plus 2 future) years; and

6.2.2 A description of major network projects anticipated for the following six months. Major network projects include trunking or network rearrangements, shifts in anticipated traffic patterns, orders greater than four (4) DS1's, or other activities that are reflected by a significant increase or decrease in trunking demand for the following forecasting period.

6.2.3 The Parties shall agree on a forecast provided above to ensure efficient utilization of trunks. Orders for trunks that exceed forecasted quantities for forecasted locations will be accommodated as mutually agreed to by the Parties. Parties shall make all reasonable efforts and cooperate in good faith to develop alternative solutions to accommodate these orders.

6.3 CLEC shall be responsible for forecasting two-way trunk groups. **SBC-13STATE** shall be responsible for forecasting and servicing the one way trunk groups terminating to the CLEC and the CLEC shall be responsible for forecasting and servicing the one way trunk groups terminating to **SBC-13STATE**, unless otherwise specified in this Appendix. Standard trunk traffic engineering methods will be used by the parties as described in Bell Communications Research, Inc. (TELCORDIA TECHNOLOGIES) document SR TAP 000191, Trunk Traffic Engineering Concepts and Applications.

6.4 If forecast quantities are in dispute, the Parties shall meet to reconcile the differences.

6.5 Each Party shall provide a specified point of contact for planning, forecasting and trunk servicing purposes.

7. TRUNK DESIGN BLOCKING CRITERIA: **SBC-13STATE**

7.1 Trunk requirements for forecasting and servicing shall be based on the blocking objectives shown in Table 1. Trunk requirements shall be based upon time consistent average busy season busy hour twenty (20) day averaged loads applied to industry standard Neal-Wilkinson Trunk Group Capacity algorithms (use Medium day-to-day Variation and 1.0 Peakedness factor until actual traffic data is available).

TABLE 1

<u>Trunk Group Type</u>	<u>Design Blocking Objective</u>
Local Tandem	1%
Local Direct End Office (Primary High)	ECCS*
Local Direct End Office (Final)	2%
IntraLATA	1%
Local/IntraLATA	1%
InterLATA (Meet Point) Tandem	0.5%
911	1% or better
Operator Services (DA/DACC)	1%
Operator Services (0+, 0-)	1%
Busy Line Verification-Inward Only	1% or better

*During implementation the Parties will mutually agree on an Economic Centum Call Seconds (ECCS) or some other means for the sizing of this trunk group.

8. TRUNK SERVICING: **SBC-13STATE**

- 8.1 Orders between the Parties to establish, add, change or disconnect trunks shall be processed by using an Access Service Request (ASR). CLEC will have administrative control for the purpose of issuing ASR's on two-way trunk groups. In **SBC MIDWEST REGION 5-STATE** and **SBC SNET** where one-way trunks are used (as discussed in section 3.4), **SBC MIDWEST REGION 5-STATE** and **SBC SNET** will issue ASRs for trunk groups for traffic that originates in **SBC-13STATE** and terminates to CLEC. The Parties agree that neither Party shall alter trunk sizing without first conferring with the other party.
- 8.2 Both Parties will jointly manage the capacity of Local Interconnection Trunk Groups. Both Parties may send a Trunk Group Service Request (TGSR) to the other Party to trigger changes to the Local Interconnection Trunk Groups based on capacity assessment. The TGSR is a standard industry support interface developed by the Ordering and Billing Forum of the Carrier liaison Committee of the Alliance for Telecommunications Solutions (ATIS) organization. TELCORDIA TECHNOLOGIES Special Report STS000316 describes the format and use of the TGSR. Contact TELCORDIA TECHNOLOGIES at 1-800-521-2673 regarding the documentation availability and use of this form.
- 8.3 Utilization: Utilization shall be defined as Trunks Required as a percentage of Trunks In Service.
- 8.3.1 In A Blocking Situation (Over-utilization)
- 8.3.1.1 In a blocking situation the CLEC is responsible for issuing an ASR on all two-way trunk groups and one-way CLEC originating trunk groups to reduce measured blocking to design objective blocking levels based on analysis of trunk group data. If an ASR is not issued, **SBC-13STATE** will issue a TSGR. The CLEC will issue an ASR within three (3) days after receipt and review of the TGSR. The CLEC will note "Service Affecting" On the ASR.
- 8.3.1.2 In a blocking situation **SBC-13STATE** is responsible for issuing an ASR on one-way SBC originating trunk groups to reduce measured blocking to design objective blocking levels based on analysis of trunk group data. If an ASR is not issued, the CLEC will issue a TSGR. **SBC 13-STATE** will issue an ASR within three (3) days after receipt and review of the TGSR. **SBC-13 STATE** will note "Service Affecting" on the ASR.
- 8.3.1.3 If an Alternate Final trunk group is at 75 % utilization, a TGSR is sent to the CLEC for the final and all subtending High Usage's that are contributing any amount of overflow to the Final route.
- 8.3.2 Underutilization
- 8.3.2.1 Underutilization of Interconnection trunks and facilities exists when provisioned capacity is greater than the current need. Those situations where more capacity exists than actual usage requires will be handled in the following manner:
- 8.3.2.1.1 If a trunk group is under seventy-five percent (75%) of CCS capacity on a monthly average basis, for each month of any three (3) consecutive months period, either Party may request the issuance of an order to resize the trunk group, which shall be left with not less than 25 percent (25%) excess capacity. In all cases grade of service objectives shall be maintained. SBC will not send a request to resize a trunk group that is 24 trunks (1DS1) or less.
- 8.3.2.1.2 If a Direct Final Direct EO trunk group in a serving area where there is no Local Tandem is under sixty-five percent (65%) of CCS capacity on a monthly average basis, for each month of any three (3) consecutive months period, either Party may request the issuance of an order to resize the trunk group, which shall be left with not less than thirty-five percent (35%) excess capacity. SBC will not send a request to resize a trunk group that is 24 trunks (1DS1) or less. In all cases grade of service objectives shall be maintained.

- 8.3.2.1.3 Either party may send a TGSR to the other Party to trigger changes to the Local Interconnection Trunk Groups based on capacity assessment. Upon receipt of a TGSR, the receiving Party will issue an ASR to the other Party within ten (10) business days after receipt of the TGSR.
 - 8.3.2.1.4 Upon review of the TGSR, if a Party does not agree with the resizing, the Parties will schedule a joint planning discussion within twenty(20) business days. The Parties will meet to resolve and mutually agree to the disposition of the TGSR.
 - 8.3.2.1.5 If **SBC-13STATE** does not receive an ASR, or if Norlight does not respond to the TGSR by scheduling a joint discussion within the twenty (20) business day period, **SBC-13STATE** will attempt to contact Norlight to schedule a joint planning discussion. If Norlight will not agree to meet within an additional five (5) business days and present adequate reason for keeping trunks operational, **SBC-13STATE** will issue an ASR to resize the Interconnection trunks and facilities.
- 8.4 In all cases except a blocking situation, either Party upon receipt of a TGSR will issue an ASR to the other Party within twenty (20) business days after receipt of the TGSR.
 - 8.4.1 Upon review of the TGSR, if a Party does not agree with the resizing, the Parties will schedule a joint planning discussion within twenty (20) business days. The Parties will meet to resolve and mutually agree to the disposition of the TGSR.
- 8.5 Projects require the coordination and execution of multiple orders or related activities between and among **SBC-13STATE** and Norlight work groups, including but not limited to the initial establishment of Local Interconnection or Meet Point Trunk Groups and service in an area, NXX code moves, re-homes, facility grooming, or network rearrangements.
 - 8.5.1 Orders that comprise a project, i.e., greater than four (4) DS-1's, shall be submitted at the same time, and their implementation shall be jointly planned and coordinated.
- 8.6 Due dates for the installation of Local Interconnection and Meet Point Trunks covered by this Appendix shall be based on each of the **SBC-13STATE**'s intrastate Switched Access intervals. If CLEC is unable to or not ready to perform Acceptance Tests, or is unable to accept the Local Interconnection Service Arrangement trunk(s) by the due date, the CLEC will provide a requested revised service due date that is no more than thirty (30) calendar days beyond the original service due date. If the CLEC requests a service due date change which exceeds the allowable service due date change period, the ASR must be canceled by the CLEC. Should the CLEC fail to cancel such an ASR, **SBC-13STATE** shall treat that ASR as though it had been canceled.
- 8.7 Trunk servicing responsibilities for OPERATOR SERVICES trunks used for stand-alone Operator Service or Directory Assistance are the sole responsibility of the CLEC.
- 8.8 **TRUNK SERVICING – SBC SOUTHWEST REGION 5-STATE** Exceptions:
 - 8.8.1 The Parties will process trunk service requests submitted via a properly completed ASR within ten (10) business days of receipt of such ASR unless defined as a major project, as stated in 8.6. Incoming orders will be screened by SBC SOUTHWEST REGION T-STATE trunk engineering personnel for reasonableness based upon current utilization and/or consistency with forecasts. If the nature and necessity of an order requires determination, the ASR will be placed in held status, and a Joint Planning discussion conducted. Parties agree to expedite this discussion in order to minimally delay order processing. Extension of this review and discussion process beyond two days from ASR receipt will require the ordering Party to Supplement the order with proportionally adjusted Customer Desired Due Dates. Facilities must also be in place before trunk orders can be completed.
- 8.9 Projects-Tandem Rehomes/Switch Conversion/Major Network Projects

- 8.9.1 **SBC-13STATE** will advise CLEC of all projects significantly affecting CLEC trunking. Such Projects may include, Tandem Rehomes, Switch Conversions and other Major Network Changes. An Accessible Letter with project details will be issued at least 6 months prior to the project due dates. **SBC-13 STATE** will follow with a Trunk Group Service Request (TGSR) approximately 4 to 6 months before the due date of the project. A separate TGSRs will be issued for each CLEC trunk group and will specify the required CLEC ASR issue date. Failure to submit ASR(s) by the required date may result in **SBC-13STATE** ceasing to deliver traffic until the ASR(s) are received and processed.

9. TRUNK DATA EXCHANGE: **SBC-13STATE**

- 9.1 Each Party agrees to service trunk groups to the foregoing blocking criteria in a timely manner when trunk groups exceed measured blocking thresholds on an average time consistent busy hour for a twenty (20) business day study period. The Parties agree that twenty (20) business days is the study period duration objective. However, a study period on occasion may be less than twenty (20) business days but at minimum must be at least three (3) business days to be utilized for engineering purposes, although with less statistical confidence.
- 9.2 Exchange of traffic data enables each Party to make accurate and independent assessments of trunk group service levels and requirements. Parties agree to establish a timeline for implementing an exchange of traffic data utilizing the DIXC process via a Network Data Mover (NDM) or FTP computer to computer file transfer process. Implementation shall be within three (3) months of the date, or such date as agreed upon, that the trunk groups begin passing live traffic. The traffic data to be exchanged will be the Originating Attempt Peg Count, Usage (measured in Hundred Call Seconds), Overflow Peg Count, and Maintenance Usage (measured in Hundred Call Seconds on a seven (7) day per week, twenty-four (24) hour per day, fifty-two (52) weeks per year basis). These reports shall be made available at a minimum on a semi-annual basis upon request. Exchange of data on one-way groups is optional.
- 9.3 A trunk group utilization report (TIKI) is available upon request. The report is provided in a MS-Excel format.

10. NETWORK MANAGEMENT: **SBC-13STATE**

10.1 Restrictive Controls

- 10.1.1 Either Party may use protective network traffic management controls such as 7-digit and 10-digit code gaps set at appropriate levels on traffic toward each other's network, when required, to protect the public switched network from congestion due to facility failures, switch congestion, or failure or focused overload. CLEC and **SBC-13STATE** will immediately notify each other of any protective control action planned or executed.

10.2 Expansive Controls

- 10.2.1 Where the capability exists, originating or terminating traffic reroutes may be implemented by either Party to temporarily relieve network congestion due to facility failures or abnormal calling patterns. Reroutes will not be used to circumvent normal trunk servicing. Expansive controls will only be used when mutually agreed to by the Parties.

10.3 Mass Calling

- 10.3.1 CLEC and **SBC-13STATE** shall cooperate and share pre-planning information regarding cross-network call-ins expected to generate large or focused temporary increases in call volumes.

11. OUT OF EXCHANGE TRAFFIC

- 11.1 Interconnection services are available in accordance with section 251(a)(1) of the Act for the purposes of exchanging traffic to/from a non-SBC incumbent exchange and consistent with the Appendix Out of Exchange Traffic attached to this Agreement.

12. CIRCUIT SWITCHED TRAFFIC

12.1 For purposes of this Agreement only, Switched Access Traffic shall mean all traffic that originates from an end user physically located in one local exchange and delivered for termination to an end user physically located in a different local exchange (excluding traffic from exchanges sharing a common mandatory local calling area as defined in SBC-13STATE's local exchange tariffs on file with the applicable state commission) including, without limitation, any traffic that (i) terminates over a Party's circuit switch, including traffic from a service that originates over a circuit switch and uses Internet Protocol (IP) transport technology (regardless of whether only one provider uses IP transport or multiple providers are involved in providing IP transport) and/or (ii) originates from the end user's premises in IP format and is transmitted to the switch of a provider of voice communication applications or services when such switch utilizes IP technology. Notwithstanding anything to the contrary in this Agreement, all Switched Access Traffic shall be delivered to the terminating Party over feature group access trunks per the terminating Party's access tariff(s) and shall be subject to applicable intrastate and interstate switched access charges; provided, however, the following categories of Switched Access Traffic are not subject to the above stated requirement relating to routing over feature group access trunks:

(i) IntraLATA toll Traffic or Optional EAS Traffic from a CLEC end user that obtains local dial tone from CLEC where CLEC is both the Section 251(b)(5) Traffic provider and the intraLATA toll provider,

(ii) IntraLATA toll Traffic or Optional EAS Traffic from an SBC end user that obtains local dial tone from SBC where SBC is both the Section 251(b)(5) Traffic provider and the intraLATA toll provider;

(iii) Switched Access Traffic delivered to SBC from an Interexchange Carrier (IXC) where the terminating number is ported to another CLEC and the IXC fails to perform the Local Number Portability (LNP) query; and/or

(iv) Switched Access Traffic delivered to either Party from a third party competitive local exchange carrier over interconnection trunk groups carrying Section 251(b)(5) Traffic and ISP-Bound Traffic (hereinafter referred to as "Local Interconnection Trunk Groups") destined to the other Party.

(v) Notwithstanding anything to the contrary in this Agreement, each Party reserves its rights, remedies, and arguments relating to the application of switched access charges for traffic exchanged by the Parties prior to the Effective Date of this Agreement and described in the FCC's Order issued in the Petition for Declaratory Ruling that AT&T's Phone-to-Phone IP Telephony Services Exempt from Access Charges, WC Docket No. 01-361 (Released April 21, 2004).

12.2 In the limited circumstances in which a third party competitive local exchange carrier delivers Switched Access Traffic as described in Section 1.1 (iv) above to either Party over Local Interconnection Trunk Groups, such Party may deliver such Switched Access Traffic to the terminating Party over Local Interconnection Trunk Groups. If it is determined that such traffic has been delivered over Local Interconnection Trunk Groups, the terminating Party may object to the delivery of such traffic by providing written notice to the delivering Party pursuant to the notice provisions set forth in the General Terms and Conditions and request removal of such traffic. The Parties will work cooperatively to identify the traffic with the goal of removing such traffic from the Local Interconnection Trunk Groups. If the delivering Party has not removed or is unable to remove such Switched Access Traffic as described in Section 12.1(iv) above from the Local Interconnection Trunk Groups within sixty (60) days of receipt of notice from the other party, the Parties agree to jointly file a complaint or any other appropriate action with the applicable Commission to seek any necessary permission to remove the traffic from such interconnection trunks up to and including the right to block such traffic and to obtain compensation, if appropriate, from the third party competitive local exchange carrier delivering such traffic to the extent it is not blocked.

13. Intentionally left blank

14. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS

- 14.1 Every interconnection, service and network element provided hereunder, shall be subject to all rates, terms and conditions contained in this Agreement which are legitimately related to such interconnection, service or network element. Without limiting the general applicability of the foregoing, the following terms and conditions of the General Terms and Conditions are specifically agreed by the Parties to be legitimately related to, and to be applicable to, each interconnection, service and network element provided hereunder: definitions; interpretation, construction and severability; notice of changes; general responsibilities of the Parties; effective date, term and termination; fraud; deposits; billing and payment of charges; non-payment and procedures for disconnection; dispute resolution; audits; disclaimer of representations and warranties; limitation of liability; indemnification; remedies; intellectual property; publicity and use of trademarks or service marks, no license; confidentiality; intervening law; governing law; regulatory approval; changes in End User local exchange service provider selection; compliance and certification; law enforcement; no third party beneficiaries; disclaimer of agency; relationship of the Parties/independent contractor; subcontracting; assignment; responsibility for environmental contamination; force majeure; taxes; non-waiver; network maintenance and management; signaling; transmission of traffic to third parties; customer inquiries; expenses; conflicts of interest; survival; scope of agreement; amendments and modifications; and entire agreement.